

LATIMER COUNTY

CLIMATE SUMMARY

AVERAGES

TEMPERATURE (°F)													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
DAILY AVG	40.6	45.1	53.1	61.3	69.8	77.2	81.8	80.8	73.9	63.6	51.3	42.8	61.8
DAILY MIN	29.7	33.4	41.1	48.4	58.6	66.1	69.7	67.8	61.6	51.9	39.7	31.9	50.0
DAILY MAX	51.6	56.7	65.0	74.2	80.9	88.2	93.9	93.8	86.2	75.3	63.0	53.7	73.5

Annual number of days max temperature is greater than 90°F: 73
Annual number of days max temperature is greater than 100°F: 15
Annual number of days max temperature is less than 32°F: 3
Annual number of days min temperature is less than 32°F: 71
Annual number of heating degree days (HDD): 3131
Annual number of cooling degree days (CDD): 1984
Annual length of growing season: 218 days
Date of first fall freeze: November 5
Date of last spring freeze: April 2

PRECIPITATION													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
AMOUNT (in.)	3.08	2.83	3.93	4.95	7.44	5.55	2.71	3.23	4.31	4.65	4.00	4.20	50.88
NUMBER OF DAYS WITH RAIN	7.1	6.6	7.9	8.2	9.2	10.1	6.1	5.6	7.2	7.6	7.5	8.6	91.7

Annual snowfall (1975-2004): 6.5 in.
Annual percent sunshine (2006-2020): 62%
Annual number of thunderstorm days (1901-1995): 55
Annual number of hail (>1 in.) days (1986-2015): 4-5
Annual number of tornadoes (1950-2021): 0.44
Total number of tornadoes (1950-2021): 32

Notes:

- 1.) Average first and last freeze dates are based on the 50th probability percentile.
- 2.) Unless noted, averages/normals are based on the 1991-2020 period.

RECORDS & EXTREMES

Record high temperature: 115°F (August 3, 2011)

Record low temperature: -16°F (February 2, 1951)

Earliest freeze date: October 22

Latest freeze date: April 19

Wettest year: 78.28 in. (1973)

Driest year: 20.72 in. (1963)

Greatest daily rainfall: 7.70 in. (August 15, 1964)

Greatest seasonal snowfall (Sep - Apr): 18.4 in. (1978-1979)

Greatest daily snowfall: 16.0 in. (February 18, 1921)

Note: Extreme earliest and latest freeze dates are based on the 10th probability percentile.

HOLIDAY STATS

	AVG MAX TEMP (°F)	AVG MIN TEMP (°F)	RECORD HIGH (°F)	RECORD LOW (°F)
NEW YEAR'S EVE, December 31	51	26	69 (1956)	5 (1976)
VALENTINE'S DAY, February 14	59	33	79 (1962)	14 (1948)
INDEPENDENCE DAY, July 4	93	69	104 (1963)	55 (1961)
HALLOWEEN, October 31	70	46	86 (1950)	19 (1993)
CHRISTMAS, December 25	52	26	80 (1955)	8 (1985)




WIND

Average wind speed: 7 mph

Wind Roses: Wind roses show the prevailing direction from which the wind is blowing. North is up in the image. The circles show the percentage of time from which the wind is blowing in that direction, as well as the percentage of time for different wind speed ranges. The wind speed ranges are represented by different shades of color. For example, Wilburton records a south wind about 13% of the time, with winds blowing between 10 and 15 mph about 4% ($11\% - 7\% = 4\%$) of the time from that direction. The table below shows the percentage of time the wind is blowing from each of the 16-point compass headings, and the percent of time the prevailing wind is recorded in each speed bin.





Oklahoma Climatological Survey:

climate.ok.gov

Oklahoma Mesonet:

mesonet.org

120 David L. Boren Blvd., Suite 2900

Norman, OK 73072

phone: 405.325.2541

fax: 405.325.7282